

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20050114638").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 11:32
S3	9	breakpoint with opcode with (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 08:12
S5	46	breakpoint with instruction with opcode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 12:46
S6	61	("3813531"   "3904860"   "3937938"   "4041471"   "4080650"   "4114730"   "4206503"   "4276595"   "4293950"   "4325121"   "4338660"   "4493027"   "4502116"   "4541048"   "4554630").PN. OR ("4635193").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/13 08:15
S7	112	breakpoint with set with (bit or flag) with (instruction or opcode or operation)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 08:18
S8	12	("5165027"   "5404473"   "5442757"   "5479616"   "5479652"   "5481685"   "5491793"   "5530804"   "5537559").PN. OR ("5694589").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/13 08:19
S15	12377	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 14:54
S16	602	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:36
S25	942	((single adj step) or single-step) with (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:25
S28	300	(712/229).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 17:24

## EAST Search History

S29	57	breakpoint adj (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:28
S30	13	S25 and S29	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:26
S32	1	("6944794").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/13 17:34
S34	1053	breakpoint.AB.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:34
S35	37	S15 and S34	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:40
S36	117	resume adj flag	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:40
S37	23	S15 and S36	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/13 17:40
S38	2	("5201043").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 12:39
S39	32	("3573855"   "3828327"   "3916388"   "3940745"   "4037215"   "4121286"   "4507731"   "4545016"   "4667305"   "4814976"   "4933847"   "4961162"   "5023773"   "5051894").PN. OR ("5201043"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/14 12:40
S40	102	breakpoint	IBM_TDB	AND	ON	2006/02/14 13:33
S41	602	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/14 13:36

## EAST Search History

S42	115	S41 and breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 14:06
S43	676	breakpoint near2 (flag or bit or indicat\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 14:07
S44	31	S41 and S43	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 14:10
S45	123	trap adj flag	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 14:11
S46	14	breakpoint same S45	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/14 14:11
S48	90	breakpoint with resum\$4 with execut\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 11:37
S49	12398	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 11:37
S50	10	S48 and S49	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 12:55
S53	492	(stop\$4 or halt\$) with execut\$4 with breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:11
S54	960	remot\$3 with debug\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:29

## EAST Search History

S55	56	S53 and S54	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:14
S56	12398	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/15 13:14
S57	8	S55 and S56	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:14
S60	147	debug\$4 with (coprocessor or co-processor or (media adj processor))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:33
S61	50	S60 and breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:34
S62	17	S60 and breakpoint and S56	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/02/15 13:34

## EAST Search History

S63	103	("4590554"   "4598400"   "4709327"   "4773038"   "4791641"   "4805091"   "4809202"   "4870568"   "4922418"   "4922486"   "4954988"   "4965717"   "4993028"   "5070446"   "5093801"   "5111198"   "5113510"   "5117420"   "5129077"   "5148547"   "5151996"   "5157663"   "5175865"   "5212773"   "5222216"   "5222237"   "5247613"   "5247694"   "5255291"   "5261105"   "5265207"   "5274631"   "5289156"   "5295258"   "5301310"   "5317726"   "5325487"   "5349680"   "5355492"   "5357612"   "5361363"   "5367692"   "5388214"   "5388262"   "5390298"   "5404296"   "5404562"   "5410723"   "5455932"   "5475856"   "5485627"   "5530809"   "5535408"   "5561669"   "5568380"   "5613136"   "5617538"   "5621885"   "5627965"   "5673423"   "5710814"   "5742604"   "5748936"   "5751955"   "5764636"   "5781753"   "5787243"   "5787255"   "5812811"   "5832291"   "5838915"   "5860086"   "5872963"   "5960211"   "6035422").PN. OR ("6173386").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/15 13:40
S64	42	S63 and S56	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/15 15:43
S65	93	debug\$4 with media with processor	US-PGPUB; USPAT; USOCR	AND	ON	2006/02/15 15:43
S66	0	("2005/0097398").URPN.	USPAT	AND	ON	2006/02/15 15:45
S67	632	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:04
S69	124	breakpoint and S67	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:04
S70	29	breakpoint.AB. and S67	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:11

## EAST Search History

S71	8	(breakpoint adj opcode) and "712". CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:11
S72	0	("2004/0030870").URPN.	USPAT	AND	ON	2006/08/09 10:13
S73	2	("20050114638").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S74	9	breakpoint with opcode with (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S75	46	breakpoint with instruction with opcode	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S76	63	("3813531"   "3904860"   "3937938"   "4041471"   "4080650"   "4114730"   "4206503"   "4276595"   "4293950"   "4325121"   "4338660"   "4493027"   "4502116"   "4541048"   "4554630").PN. OR ("4635193").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S77	116	breakpoint with set with (bit or flag) with (instruction or opcode or operation)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S78	12	("5165027"   "5404473"   "5442757"   "5479616"   "5479652"   "5481685"   "5491793"   "5530804"   "5537559").PN. OR ("5694589").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S79	12939	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S80	632	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 16:14
S81	995	((single adj step) or single-step) with (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14

## EAST Search History

S82	316	(712/229).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S83	61	breakpoint adj (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S84	13	S81 and S83	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S85	61	breakpoint adj (bit or flag)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S86	1	("6944794").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S87	1122	breakpoint.AB.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S88	41	S79 and S87	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S89	123	resume adj flag	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S90	27	S79 and S89	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S91	2	("5201043").PN.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14

## EAST Search History

S92	32	("3573855"   "3828327"   "3916388"   "3940745"   "4037215"   "4121286"   "4507731"   "4545016"   "4667305"   "4814976"   "4933847"   "4961162"   "5023773"   "5051894").PN. OR ("5201043").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S93	102	breakpoint	IBM_TDB	AND	ON	2006/08/09 10:14
S94	632	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S95	124	S94 and breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S96	720	breakpoint near2 (flag or bit or indicat\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S97	34	S94 and S96	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S98	127	trap adj flag	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S99	15	breakpoint same S98	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 0	106	breakpoint with resum\$4 with execut\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 1	12939	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S10 2	13	S100 and S101	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14



## EAST Search History

S10 3	540	(stop\$4 or halt\$) with execut\$4 with breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 4	1075	remot\$3 with debug\$4	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 5	63	S103 and S104	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 6	12939	("712").CLAS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 10:14
S10 7	8	S105 and S106	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 8	161	debug\$4 with (coprocessor or co-processor or (media adj processor))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S10 9	56	S108 and breakpoint	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14
S11 0	19	S108 and breakpoint and S106	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:14

## EAST Search History

S11 1	106	("4590554"   "4598400"   "4709327"   "4773038"   "4791641"   "4805091"   "4809202"   "4870568"   "4922418"   "4922486"   "4954988"   "4965717"   "4993028"   "5070446"   "5093801"   "5111198"   "5113510"   "5117420"   "5129077"   "5148547"   "5151996"   "5157663"   "5175865"   "5212773"   "5222216"   "5222237"   "5247613"   "5247694"   "5255291"   "5261105"   "5265207"   "5274631"   "5289156"   "5295258"   "5301310"   "5317726"   "5325487"   "5349680"   "5355492"   "5357612"   "5361363"   "5367692"   "5388214"   "5388262"   "5390298"   "5404296"   "5404562"   "5410723"   "5455932"   "5475856"   "5485627"   "5530809"   "5535408"   "5561669"   "5568380"   "5613136"   "5617538"   "5621885"   "5627965"   "5673423"   "5710814"   "5742604"   "5748936"   "5751955"   "5764636"   "5781753"   "5787243"   "5787255"   "5812811"   "5832291"   "5838915"   "5860086"   "5872963"   "5960211"   "6035422").PN. OR ("6173386").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S11 2	43	S111 and S106	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S11 3	101	debug\$4 with media with processor	US-PGPUB; USPAT; USOCR	AND	ON	2006/08/09 10:14
S11 4	0	("2005/0097398").URPN.	USPAT	AND	ON	2006/08/09 10:14
S11 5	2	"6016555".PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:41
S11 6	218	(breakpoint same ((resume or restart) near2 execut\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 10:42
S11 7	32	(breakpoint same ((resume or restart) near2 execut\$3)) and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 16:11

## EAST Search History

S11 8	6	(breakpoint with indicat\$3 with (instruction or operation)) and ((flag or bit) with resume with execut\$3) and "712".CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 16:12
S11 9	0	("s80and((halt\$3orstop\$3)near2execut\$3)and((resum\$3orrestart\$3)near2execut\$3)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 16:15
S12 0	632	(712/227).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/09 16:16
S12 4	45	S120 and ((halt\$3 or stop\$3) near2 execut\$3) and ((resum\$3 or restart\$3) near2 execut\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	AND	ON	2006/08/09 16:18